



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/043,964	01/10/2002	Frederic Reblewski	21044.P002	6410

25943 7590 04/21/2003

SCHWABE, WILLIAMSON & WYATT, P.C.
PACWEST CENTER, SUITES 1600-1900
1211 SW FIFTH AVENUE
PORTLAND, OR 97204

EXAMINER

LIN, SUN J

ART UNIT PAPER NUMBER

2825

DATE MAILED: 04/21/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/043,964

Applicant(s)

REBLEWSKI ET AL.

Examiner

Sun J Lin

Art Unit

2825

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04/29/2002 and 02/05/2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☒ The proposed drawing correction filed on 02/05/2003 is: a) ☒ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 3.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. This Office Action is in response to applicant's Amendment and Remarks filed on 02/05/2003 regarding application 10/043,964 filed on 01/010/2002. Claims 1 – 24 remain pending.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- (1). Determining the scope and contents of the prior art.
- (2). Ascertaining the differences between the prior art and the claims at issue.
- (3). Resolving the level of ordinary skill in the pertinent art.
- (4). Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claims 1 – 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,289, 494 to Sample et al. in view of U.S. Patent No. 5,644, 496 to Agrawal et al.

4. As to Claim 1 – 6, Sample et al. shows in Fig. 13 D partial structure of a hybrid between crosspoint-type crossbar 650 and multiplexer-type crossbar 630 (Fig. 13 D; col. 12, line 61 – col. 13, line 20). Notice that a complete crossbar device contains a plurality of crossbar structures as shown in Fig. 13 D. The complete configurable crossbar device can have *n* input lines and *m* output lines – [Claim 1].

Sample et al. do not teach a method of placing a pass transistor at the input port of each input line to control inputting the data into the multiplexer-type crossbar. But, Agrawal et al. teach this method.

Agrawal et al. show in Fig. 6A inserting a PIP 521 (i.e., programmable interconnect switch) between input buffer 516 and an input line of UPM 501 (i.e., user programmable multiplexer). The PIP 521 is consisted of a pass transistor 35 which is controlled/configured by a memory cell 36 as shown in Fig. 2A. The UPM 501 in Fig. 6A is a multiplexer-type crossbar. Notice that the PIP 521 is an input data switch, which is installed at the input port of crossbar device (UMP 501) in order to control timing for selectively feeding appropriate data into the crossbar device thereby improving the performance of the crossbar device.

Therefore, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to have used the teachings of Agrawal et al. by inserting an input data switch (PIP 521) at each input port of crossbar device (UMP 501) in order to control timing for selectively feeding appropriate data into the crossbar device thereby improving the performance of the crossbar device as recited in Claims 1 – 4 and 6.

Sample et al. teach using a 2-to-4 decoder 640 for coupling the input lines of a partial crossbar device 630 in order to control its output. The complete configurable crossbar consists of a plurality of crossbar devices 630; therefore it has a plurality of 2-to-4 decoders 640 – [Claim 5].

For reference purposes, the explanations given above in response to Claims 1 – 6 are called [Response A] hereinafter.

5. Claims 7, 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,289, 494 to Sample et al. in view of applicants' admitted prior art and U.S. Patent No. 6,175,952 to Patel et al.

6. As to Claim 7, Sample et al. show in Fig. 13D a crossbar device. Sample et al. do not teach installing an output buffer at each output line. But it is well known in the art and also is a digital data-transmission standard that, to adjust signal outputting from one digital data device to an acceptable level before feeding into another digital data device, an output buffer should be installed at each output port of each digital data device.

This fact is shown in applicant's admitted prior arts in Figs. 1a, 2 and 3. With this output buffer in place at location pointed by reference numeral 620 in Fig. 13D, first subject matter in the claim is achieved. Notice that the memory element 652 is electrically associated with the output buffer, which can be connected at a location indicated by 620.

Sample et al. also do not teach voltage supply structure as recited in the claim. However, Patel et al. teach this subject matter in Fig. 23 (col. 25, line 56 – col. 26, line 26; col. 26, line 43 – 55). Notice that the cross-coupled latch 2310 in Fig. 23 is an output buffer and its voltage is at a VCC1 (e.g., Vdd) level. Patel et al. teach that the isolation device 2315 in Fig. 23, which is an output switch 2315 containing a pass-transistor 2320 (col. 26, line 43 – 55), and its supply voltage VCC2 can be coupled from an internal circuitry of the integrated circuit (col. 24, line 63 – 64). Patel et al. also teach that, in order to achieve (i.e., maintain) output signal at a desired VCC (i.e., Vdd) level, the bias supply voltage (VCC2) of a pass-transistor of output switch should be at about $VCC + |V_{th}|$ level, where $|V_{th}|$ is a threshold voltage (col. 13, line 61 – 63; col. 13, line 36 – 44). It is indicated in Fig. 1b of applicants' admitted prior art that the supply voltage pass transistor is coupled from a memory element 104.

Therefore, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to have used the teachings of Patel et al. and applicants' admitted prior art (Fig. 1b) to set the supply voltage of a pass-transistor of output switch to a level of $VCC + |V_{th}|$ in order to achieve maintain output signal at a desired VCC (i.e., Vdd) level.

Patel et al. teach the voltage supply structure in Fig. 23, which has similar components (i.e., pass-transistor 651 and output buffer) as that disclosed by Sample et al. (Fig. 13D) and applicants' admitted prior art (Fig. 2). Therefore, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to ?

⇒ Applying the teachings of applicants' admitted prior art on output buffer and teachings of Patel et al. on voltage supply structure mentioned above, all the subject matters recited in the claim can be achieved.

For reference purposes, the explanations given above in response to Claim 7 are called [Response B] hereinafter.

7. As to Claims 13 and 14, Sample et al. teach that the crossbar is an integrated circuit device (abstract). Patel et al. teach that the voltage supply structure is designed in an integrated circuit (abstract). Therefore, reconfigurable crossbar device can be a stand-alone integrated circuit design or a building block (i.e., block of an integrated circuit) being integrated with other devices to provide data cross-connect functions.

8. Claims 8 – 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,289, 494 to Sample et al. in view of applicants' admitted prior art, U.S. Patent No. 6,175,952 to Patel et al. and U.S. Patent No. 5,644, 496 to Agrawal et al.

9. As to Claims 8 – 12, Sample, applicants' admitted prior art and Patel et al. (called Sample_Patel et al. hereinafter) teach all the subject matters except a method of inserting a pass-transistor and control memory element at each input line. But Agrawal et al. teach this method as explained in [Response A] given above.

Due to the same reasons included in [Response A] and [Response B] given above, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to have used the teachings of Agrawal et al. and to apply teachings of Sample_Patel et al. to achieve all the subject matters recited in Claims 8 – 12.

10. Claims 15, 16, 23 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,289, 494 to Sample et al. in view of applicants' admitted prior art and U.S. Patent No. 5,744,990 to Burstein et al.

11. As to Claims 15 and 16, Sample et al. show in Fig. 13D a crossbar device and applicants' admitted prior art (Fig. 3) teaches installing an output buffer at each output line as explained above. But Sample et al. and applicants' admitted prior art (called Sample_Applicant hereinafter) do not teach a method of comprising a power-on circuitry

coupled to the crossbar devices to force the output buffers to a known logic value (i.e., state) at power-on. But Burstein et al. teach this method.

Burstein et al. teach power-on reset (POR) generating circuitry in Fig. 1. Burstein et al. teach that digital design requires some type of POR signal during initial turn-on to initialize various components in the system, such as *flip-flops*, memory devices (e.g., input/output buffers) etc. (col. 1, line 13 – 18). The inherent purpose of POR signal is to initialize each part of digital device to a known/predetermined logic value (state), which is safe for operation. It is well known in the art that POR circuit is a standard built-in unit in memory related digital equipment, including configurable crossbar device. Burstein et al. teach using POR signal to reset a flip-flop thereby “zero” a memory device (e.g., output buffer) (col. 1, line 13 – 18).

Therefore, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to have used the teachings of Burstein et al. to integrate POR circuitry in the crossbar design in order to initialize each logic unit of the crossbar design to a known/predetermined logic value (state), which is safe for operation.

For reference purposes, the explanations given above in response to Claims 5 and 6 are called [Response C] hereinafter.

12. As to Claims 23 and 24, in addition to reasons included in [Response C] given above, Sample_Applicant teach that the crossbar is an integrated circuit device (abstract). Burstein et al. teach that the POR circuitry can be constructed in an integrated circuit (col. 1, line 5 – 10). It is well known in the art that the POR is a standard built-in unit in memory related digital equipment. Therefore, reconfigurable crossbar device can be a stand-alone integrated circuit design or a building block (i.e., block of an integrated circuit) being integrated with other devices to provide data cross-connect functions.

13. Claims 17 – 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,289, 494 to Sample et al. in view of applicants' admitted prior art,

U.S. Patent No. 5,744,990 to Burstein et al. and U.S. Patent No. 5,644, 496 to Agrawal et al.

14. As to Claim 17 – 21, as explain in [Response C] given above, Sample, applicants' admitted prior art and Burstein et al. (called Sample_Burstein et al. hereinafter) teach all the subject matters on crossbar except a method of inserting a pass-transistor at the input port of each input line. But Agrawal et al. teach this method in [Response A] given above.

Due to the same reasons included in [Response A], it would have been obvious at the time the invention was made to a person having ordinary skill in the art to have used the teachings of Agrawal et al. and to apply the teachings of Sample_Burstein et al. to achieve all the subject matters recited in Claims 17 – 21.

15. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,289, 494 to Sample et al. in view of applicant's admitted prior art, U.S. Patent No. 5,744,990 to Burstein et al. and U.S. Patent No. 6,175,952 to Patel et al.

16. As to Claim 22, as explained in [Response C] given above, Sample_Burstein et al. teach all the subject matters except the method of voltage supply structure. But Patel et al. teach this method.

Due to the same reasons included in [Response B] given above, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to used the teachings of Patel et al. and to apply the teachings of Sample_Burstein et al. to achieve all the subject matters recited in Claim 22.

Response to Amendment and Remarks

17. Applicants' argument files 02/05/2003 have been fully considered but they are not persuasive. Applicants repeatedly argue cited prior art and their inventions with refer to their specification. However, patent examiner only focuses his examinations on

claimed inventions to the scope of limitations recited in the claims. Responses to the arguments associated with the claims are included in the Detailed Action given above.

Conclusion

18. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sun J. Lin whose telephone number is (703) 308-4916. The examiner can normally be reached on Monday-Friday (9:00AM-6:00PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith can be reached on (703) 308-1323. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7382 for regular communications and (703) 305-3413 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

Sun James Lin
Art Unit 2825
April 9, 2003



MATTHEW SMITH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800